	optication No.	Applicant(s)	
Notice of Aller of the)/776,679	IACOBUCCI, EMILIO	
	caminer	Art Unit	
Jii	mmy T. Nguyen	3725	
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS (OF herewith (or previously mailed), a Notice of Allowance (PTOL-85) or one NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGH of the Office or upon petition by the applicant. See 37 CFR 1.313 an	R REMAINS) CLOSED in this apported in this apported in the communication TS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS
1. $igotimes$ This communication is responsive to $amendment filed 7/19/05$	•		
2. X The allowed claim(s) is/are <u>4,6-11,13 and 16-18</u> .			
 3. Acknowledgment is made of a claim for foreign priority under a) All b) Some* c) None of the: 1. Certified copies of the priority documents have be 2. Certified copies of the priority documents have be 3. Copies of the certified copies of the priority documents have be International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	en received. en received in Application No		tion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
 A SUBSTITUTE OATH OR DECLARATION must be submitted INFORMAL PATENT APPLICATION (PTO-152) which gives re 			OTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
Attachment(s) Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 7/21/05 Examiner's Comment Regarding Requirement for Deposit of Biological Material		(PTO-413), e nent/Comment	wance -) MINER

Application/Control Number: 10/776,679

Art Unit: 3725

EXAMINER'S AMENDMENT

Page 2

An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Attorney Paul Greeley on September 27, 2005.

The application has been amended as follows:

In claim 4, last line:

The punctuation mark "." has been changed to ---; and ---.

In claim 4, after the last line:

The following paragraph has been added:

---- a drawer designed to house waste containers, a fixed part to which the waste

compactor is attached, and an outer casing, wherein the fixed part and the drawer are

housed in the outer casing. ----

Claim 5 has been canceled.

In claim 6, line 1:

"5" has been changed to --- 4 ---.

Application/Control Number: 10/776,679 Page 3

Art Unit: 3725

In claim 11, line 1:

"5" has been changed to --- 4 ---.

Claim 12 has been canceled.

In claim 13, line 4:

The word "and" has been deleted.

In claim 13, last line:

The punctuation mark "." has been changed to ---; ---.

In claim 13, after the last line:

The following paragraphs have been added:

---- two waste containers; and

a drawer, a fixed part, and an outer casing, said outer casing housing said fixed part and said drawer, said drawer supporting said two waste containers for movement with respect to said waste compactor, wherein said waste compactor is attached to said fixed part. ----

Claims 14 and 15 have been canceled.

Application/Control Number: 10/776,679 Page 4

Art Unit: 3725

In claim 16, line 1:

"15" has been changed to --- 13 ---.

In claim 17, line 1:

"15" has been changed to --- 13 ---.

In claim 18, line 1:

"15" has been changed to --- 13 ---.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Claims 4 and 13 are allowable because the art of record, considered alone or in combination, neither anticipates nor renders obvious a trolley comprising: a drawer to house/support a plurality of waste containers, in combination with the rest of their respective claimed limitations.

The patent Durbin et al. (US 4,719,852) discloses a trolley having a compactor (23) and a chamber (21,24) to house a plurality of containers (22). Durbin does not disclose two telescoping screws and a drawer to house the containers. One skilled in the art would not provide Durbin with a drawer to hold the containers because such modification would prevent one of the containers from dropping down the chute (62) (fig. 9).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 10/776,679 Page 5

Art Unit: 3725

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jimmy T. Nguyen whose telephone number is (571) 272-4520.

The examiner can normally be reached on Mon-Thur 8:00am - 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Derris Banks can be reached on (571) 272-4419. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JTNguyen

September 27, 2005

DERRIS H. BANKS

SUPERVISORY PATENT EXAMINER

HNOLOGY CENTER 3700